

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representation of
The original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

APPENDIX A

Number	Promoters	Species	Date	Reference
1.	Uromodulin	Human uromodulin identified as Tamm-Horsfall Protein	1987	Pennica; spec pg 6 [0047]
2	Uromodulin	MRNA of Uromodulin localized to Henles loop	1990	
	Uromodulin	Gene located to chromosome 13	1993	Pook et al.
3	Uromodulin	Rat, human and bovine genes cloned & promoters identified	1994	Yu et al.
4	Uromodulin	Assigned to chromosomes in mouse & rat	1997	Fukuoka et al
5	Uromodulin	Goat promoter identified & sequenced	1999	Karatzas C, Personal communication, unpublished
6	Uromodulin	Mouse promoter identified	2002	Zhu et al.
7	Uromodulin	Human promoter used to generate transgenic mice expressing human EPO & A1AT	2002	Zbikowska
9	Uromodulin	Bovine promoter identified & sequenced; used to generate lac Z transgenic mice	2003	Kim et al.
	Uromodulin	Mouse promoter used to generate transgenic mice expressing human growth hormone.	2003	Zhu et al.
	Uroplakin	Identification of UPA cDNA	1994	Lin et al., spec pg 7 [0049]
	Uroplakin	Use of UPA promoter to express lac Z in transgenic mice	1995	Lin et al., spec pg 7 [0049]
	Renin	Use of renin promoter & gene in transgenic mice	1988	Mullins et al
	Renin	Tissue-specific expression of lac Z in mice	1990	Sigmund et al.
	Renin	Tissue-specific transactivation in transgenic mice	1994	Fukamizu
	Renin	New function of elements identified in renin promoter	2001	Germain 2001
	Erythropoietin	Transgenic mice created using EPO sequences	1991, 1994	Semenza
	Erythropoietin	EPO promoter was used to drive lac Z gene expression	Apr 1997	Haider et al.
	Apolipoprotein E	Human, mouse and rat genes and promoters known	1990	Simonet et al.; Spec pg 8, [0060, 0061]
	Aquaporin	AQP CD isolated	Sept. 1994	Uchida et al., spec pg 7 [0054]
	Aquaporin	AQP-3 isolated	July 1995	Inase et al.
	Aquaporin	AQP2 promoter isolated	June 1996	Hozawa et al
	Aquaporin	Human, rat and mouse AQP2	August 1997	Rai et al.
	Aquaporin	Human AQP-1 promoter isolated	Feb 1998	Umenishi et al
	Aquaporin	AQP-4 alternative promoters identified	June 1998	Umenishi et al
	Aquaporin	AQP2 promoter used to target the collecting tubules in transgenic mice	1999	Stricklett et al

References Cited:

- ✓ Inase N, Fushimi K, Ishibashi K, Uchida S, Ichioka M, Sasaki S, Marumo F. J Biol Chem. 1995 Jul 28;270(30):17913-6. Isolation of human aquaporin 3 gene.
- ✓ Uchida S, Sasaki S, Fushimi K, Marumo F. J Biol Chem. 1994 Sep 23;269(38):23451-5 Isolation of human aquaporin-CD gene.
- ✓ Rai T, Uchida S, Marumo F, Sasaki S.: Am J Physiol. 1997 Aug;273(2 Pt 2):F264-73. Cloning of rat and mouse aquaporin-2 gene promoters and identification of a negative cis-regulatory element.
- ✓ Simonet WS, Bucay N, Lauer SJ, Wirak DO, Stevens ME, Weisgraber KH, Pitas RE, Taylor JM. In the absence of a downstream element, the apolipoprotein E gene is expressed at high levels in kidneys of transgenic mice. J Biol Chem. 1990 Jul 5;265(19):10809-12.
- ✓ Mullins JJ, Sigmund CD, Kane-Haas C, Wu CZ, Pacholec F, Zeng Q, Gross KW. Studies on the regulation of renin genes using transgenic mice. Clin Exp Hypertens A. 1988;10(6):1157-67
- ✓ Sigmund CD, Jones CA, Fabian JR, Mullins JJ, Gross KW. Tissue and cell specific expression of a renin promoter-reporter gene construct in transgenic mice. Biochem Biophys Res Commun. 1990 Jul 16;170(1):344-50.
- ✓ Fukamizu A, Sagara M, Sugiyama F, Yagami K, Murakami K. Tissue-specific trans-activation of renin gene by targeted expression of adenovirus E1A in transgenic mice. Biochem Biophys Res Commun. 1994 Feb 28;199(1):183-90
- ✓ Ding Y, Davisson RL, Hardy DO, Zhu LJ, Merrill DC, Catterall JF, Sigmund CD. The kidney androgen-regulated protein promoter confers renal proximal tubule cell-specific and highly androgen-responsive expression on the human angiotensinogen gene in transgenic mice. J Biol Chem. 1997 Oct 31;272(44):28142-8.
- ✓ Semenza GL, Koury ST, Nejfelt MK, Gearhart JD, Antonarakis SE. Cell-type-specific and hypoxia-inducible expression of the human erythropoietin gene in transgenic mice. Proc Natl Acad Sci U S A. 1991 Oct 1;88(19):8725-9.
- ✓ Semenza GL. Erythropoietin gene expression in transgenic mice and human hepatoma cells. Ann N Y Acad Sci. 1994 Apr 15;718:41-7; discussion 47-9.
- ✓ Haidar MA, Loya F, Yang Y, Lin H, Glassman A, Goldwasser E, Albitar M. Electron microscopic localization of lacZ expression in the proximal convoluted tubular cells of the kidney in transgenic mice carrying chimeric erythropoietin/lacZ gene constructs. J Struct Biol. 1997 Apr;118(3):220-5.
- ✓ Zhu X, Cheng J, Gao J, Lepor H, Zhang ZT, Pak J, Wu XR. : Am J Physiol Renal Physiol. 2002 Apr;282(4):F608-17. Isolation of mouse THP gene promoter and demonstration of its kidney-specific activity in transgenic mice.
- ✓ Yu H, Papa F, Sukhatme VP. Gene Expr. 1994;4(1-2):63-75. Bovine and rodent tamm-horsfall protein (THP) genes: cloning, structural analysis, and promoter identification.
- Pook MA, Jeremiah S, Scheinman SJ, Povey S, Thakker RV. Ann Hum Genet. 1993 Oct;57 (Pt 4):285-90. Localization of the Tamm-Horsfall glycoprotein (uromodulin) gene to chromosome 16p12.3-16p13.11.
- ✓ Pennica D, Kohr WJ, Kuang WJ, Glaister D, Aggarwal BB, Chen EY, Goeddel DV. Science. 1987 Apr 3;236(4797):83-8 Identification of human uromodulin as the Tamm-Horsfall urinary glycoprotein.
- ✓ Fukuoka S, Matsuda Y. Cytogenet Cell Genet. 1997;79(3-4):241-2. Assignment of the Tamm-Horsfall protein/uromodulin gene (Umod) to mouse chromosome bands 7F1-F2 and rat chromosome bands 1q36-->q37 by in situ hybridization.

Publications dated post-1997:

- ✓ Umenishi f & Verkman AS. Genomics 1998 47(3): 341-9. Isolation of the human aquaporin-1 promoter and functional characterization in human erythroleukaemia cell lines.
- ✓ Stricklett et al. Exp Nephrol 1999, 7 (1): 67-74. Targeting collecting tubules using the aquaporin-2 promoter.
- ✓ Zbikowska HM, Soukhareva N, Behnam R, Chang R, Drews R, Lubon H, Hammond D, Soukharev S.: Transgenic Res. 2002 Aug;11(4):425-35. The use of the uromodulin promoter to target production of recombinant proteins into urine of transgenic

animals.

- ✓ Zbikowska HM, Soukhareva N, Behnam R, Lubon H, Hammond D, Soukharev S. Uromodulin promoter directs high-level expression of biologically active human alpha1-antitrypsin into mouse urine. *Biochem J.* 2002 Jul 1;365(Pt 1):7-11.
- ✓ Kim HT, Song IY, Piedrahita J.: *Transgenic Res.* 2003 Apr;12(2):191-201. Kidney-specific activity of the bovine uromodulin promoter.
- ✓ Zhu X, Cheng J, Huang L, Gao J, Zhang ZT, Pak J, Wu XR.: *Transgenic Res.* 2003 Apr;12(2):155-62. Renal tubule-specific expression and urinary secretion of human hormone: a kidney-based transgenic bioreactor growth.
- ✓ Jiang XJ, Feng T, Chang LS, Kong XT, Wang G, Zhang ZW, Guo YL. *Urol Res.* 1998;26(6):389-94. Expression of osteopontin mRNA in normal and stone-forming rat kidney.
- ✓ Shiraga H, Min W, VanDusen WJ, Clayman MD, Miner D, Terrell CH, Sherbotie JR, Foreman JW, Przysiecki C, Neilson EG, et al. *Proc Natl Acad Sci U S A.* 1992 Jan 1;89(1):426-30 Inhibition of calcium oxalate crystal growth in vitro by uropontin: another member of the aspartic acid-rich protein superfamily.